

**Payment Policy | Cooling Devices Used in the Home and Outpatient Setting**

**EFFECTIVE DATE:** 06|19|2012

**POLICY LAST UPDATED:** 02|06|2020



**Blue Cross  
Blue Shield**  
of Rhode Island

## OVERVIEW

This policy documents the coverage determination for Cooling Devices Used in the Home and Outpatient Setting. Cooling devices use chilled water to decrease the local temperature of tissue. There are a variety of cooling devices available, ranging from gravity-fed devices that are manually filled with iced water, to motorized units that both cool and circulate the chilled water. These devices are typically used when ice packs would normally be applied, e.g., after orthopedic surgical procedures.

## MEDICAL CRITERIA

Not applicable

## PRIOR AUTHORIZATION

Not applicable

## POLICY STATEMENT

### BlueCHiP for Medicare

Cooling devices will be considered not covered as the device is not reasonable and necessary.

### Commercial Products

Cooling devices, with or without pumping action, are considered convenience items and are not covered and contract exclusions apply.

## COVERAGE

Benefits may vary between groups/contracts. Please refer to the appropriate Benefit Booklet, Evidence of Coverage, or Subscriber Agreement for applicable contract exclusions and limitations of benefits/coverage when services are not medically necessary.

## BACKGROUND

Use of ice packs and various bandages and wraps following surgery or musculoskeletal and soft tissue injury is common. A variety of manually operated and mechanical continuous cooling devices are commercially available.

The standard postoperative treatment for musculoskeletal surgeries consists of cryotherapy (cold therapy) and various types of compressive wraps. Both ice packs (with or without additives to maintain temperature) and cooling devices can provide cryotherapy. Circulating cooling devices are designed to provide a constant low temperature, which might provide additional benefit compared with the more variable temperature achieved with the intermittent replacement of ice packs. Noncirculating cooling devices might also allow less variable cooling due to the larger volume of ice stored in the insulated tank and the use of circulated ice water.

The CryoCuff® and Polar Care Cub devices are examples of passive cooling devices. The CryoCuff device consists of an insulated container filled with iced water that is attached to a compressive cuff. When the CryoCuff container is raised, the water fills and pressurizes the cuff. The amount of pressure is proportional to the height of the container. When body heat warms the water, the cooler is lowered and the water drains out. The cooler is then raised above the affected limb, and cold water refills the compressive cuff. The Polar

Care Cub unit consists of pads held in place with elastic straps, which may also provide compression. The pads are attached to a built-in hand pump that circulates the water through the pads at the same time as increasing the compression around the joint.

In active, circulating cooling devices, a motorized pump circulates chilled water and may also provide pneumatic compression. For example, the AutoChill® device, which may be used with a CryoCuff, consists of a pump that automatically exchanges water from the cuff to the cooler, eliminating the need for manual water recycling. The Hot/Ice Thermal Blanket is another circulating cooling device. It consists of 2 rubber pads connected by a rubber hose to the main cooling unit. Fluid is circulated via the hose through the thermal blankets. The temperature of the fluid is controlled by the main unit and can be either hot or cold. The Game Ready™ Accelerated Recovery System is a circulating cooling device combined with a pneumatic component. The system consists of various soft wraps and a computer-control unit to circulate the water through the wraps and to provide intermittent pneumatic compression. The Hilotherm® Clinic circulates cooled water through preshaped thermoplastic polyurethane facial masks for use after different types of facial surgery. ThermaZone® provides thermal therapy with pads specific to various joints as well as different areas of the head (front, sides, back, eyes). CTM™ 5000 and cTreatment are computer-controlled devices that provide cooling at a specific (11°C) and continuous temperature.

For individuals who have pain and/or swelling after knee surgery who receive a cooling device, the evidence includes systematic reviews, several RCTs, and a case-control study. Relevant outcomes are symptoms, functional outcomes, medication use, and resource utilization. Evidence on manually operated passive noncirculating cooling devices is limited by the control condition used in the trials. Studies that used either a no-icing control or infrequent ice applications do not provide sufficient evidence of comparative efficacy. Other studies have provided no information on the frequency of ice changes, limiting interpretation of the results. Several randomized trials have compared active circulating cooling devices with standard intermittent icing or cold packs, and two of the larger trials found no significant benefit of the continuous cooling devices. The evidence is insufficient to determine the effects of the technology on health outcomes.

For individuals who have pain and/or swelling after shoulder surgery who receive a cooling device, the evidence includes an RCT. Relevant outcomes include symptoms, functional outcomes, medication use, and resource utilization. Evidence found that use of compressive cryotherapy produced no significant reduction in pain or medication use compared with the standard ice wrap. The evidence is insufficient to determine the effects of the technology on health outcomes.

For individuals who have pain and/or swelling after facial surgery who receive a cooling device, the evidence includes several small RCTs and a pilot study. Relevant outcomes include symptoms, functional outcomes, medication use, and resource utilization. There have been mixed results regarding the intervention's efficacy in reducing neurologic problems as well as improving eye motility, diplopia, mandible functioning, and mouth opening compared with conventional cooling regimens. The evidence is insufficient to determine the effects of the technology on health outcomes.

## **CODING**

### **BlueCHiP for Medicare and Commercial Products**

The following HCPCS codes are not covered:

**E0218** Fluid circulating cold pad with pump, any type

**E0236** Pump for water circulating pad

**A9270** Noncovered device or service

## **RELATED POLICIES**

Not applicable

## **PUBLISHED**

Provider Update, April 2020

Provider Update, February 2019  
Provider Update, June 2017  
Provider Update, August 2016  
Provider Update, November 2015  
Provider Update, October 2014  
Provider Update, July 2013

## REFERENCES

1. Woolf SK, Barfield WR, Merrill KD et al. Comparison of a continuous temperature-controlled cryotherapy device to a simple icing regimen following outpatient knee arthroscopy. *J Knee Surg* 2008; 21(1):15-9.
2. Barber FA, McGuire DA, Click S. Continuous-flow cold therapy for outpatient anterior cruciate ligament reconstruction. *Arthroscopy* 1998; 14(2):130-5.
3. Modabber A, Rana M, Ghassemi A et al. Three-dimensional evaluation of postoperative swelling in treatment of zygomatic bone fractures using two different cooling therapy methods: a randomized, observer-blind, prospective study. *Trials* 2013; 14:238.
4. Rana M, Gellrich NC, von See C et al. 3D evaluation of postoperative swelling in treatment of bilateral mandibular fractures using 2 different cooling therapy methods: a randomized observer blind prospective study. *J Craniomaxillofac Surg* 2013; 41(1):e17-23.
5. Ruffilli A, Castagnini F, Traina F, et al. Temperature-controlled continuous cold flow device after total knee arthroplasty: a randomized controlled trial study. *J Knee Surg*. Sep 2017;30(7):675-681. PMID 27903009
6. CMS.gov Centers for Medicare and Medicaid Services Local Coverage Determination for Cold Therapy (L33735)
7. Schroder D, Passler HH. Combination of cold compression, after knee surgery. A prospective randomized trial. *Knee Surg Sports Traumatol Arthrosc* 1994; 2(3):158-65.
8. Whitelaw GP, DeMuth KA, Demos HA et al. The use of the Cryo/Cuff versus ice and elastic wrap in the postoperative care of knee arthroscopy patients. *Am J Knee Surg* 1995; 8(1):28-31.
9. Thienpont E. Does advanced cryotherapy reduce pain and narcotic consumption after knee arthroplasty? *Clin Orthop Relat Res*. Nov 2014; 472(11):3417-3423. PMID 25059851
10. Kraeutler MJ, Reynolds KA, Long C, et al. Compressive cryotherapy versus ice-a prospective, randomized study on postoperative pain in patients undergoing arthroscopic rotator cuff repair or subacromial decompression. *J Shoulder Elbow Surg*. Jun 2015;24(6):854-859. PMID 25825138

CLICK THE ENVELOPE ICON BELOW TO SUBMIT COMMENTS

This medical policy is made available to you for informational purposes only. It is not a guarantee of payment or a substitute for your medical judgment in the treatment of your patients. Benefits and eligibility are determined by the member's subscriber agreement or member certificate and/or the employer agreement, and those documents will supersede the provisions of this medical policy. For information on member-specific benefits, call the provider call center. If you provide services to a member which are determined to not be medically necessary (or in some cases medically necessary services which are non-covered benefits), you may not charge the member for the services unless you have informed the member and they have agreed in writing in advance to continue with the treatment at their own expense. Please refer to your participation agreement(s) for the applicable provisions. This policy is current at the time of publication; however, medical practices, technology, and knowledge are constantly changing. BCBSRI reserves the right to review and revise this policy for any reason and at any time, with or without notice. Blue Cross & Blue Shield of Rhode Island is an independent licensee of the Blue Cross and Blue Shield Association.

