

Payment Policy | Transesophageal Endoscopic Treatments for Gastroesophageal Reflux Disease



EFFECTIVE DATE: 10|01|2015

POLICY LAST UPDATED: 12|16|2020

OVERVIEW

Transesophageal endoscopic therapies are being developed for the treatment of gastroesophageal reflux disease (GERD). A variety of procedures are being evaluated, including transesophageal (or transoral) incisionless fundoplication (TIF), application of radiofrequency (RF) energy, and injection/implantation of prosthetic devices or bulking agents.

Note: This policy does not pertain to treatment for Barrett's Esophagus, which is covered.

This policy is applicable to Commercial Products only. For BlueCHiP for Medicare, see related policy section.

MEDICAL CRITERIA

Not applicable.

PRIOR AUTHORIZATION

Not applicable.

POLICY STATEMENT

Commercial Products

The following procedures for the treatment gastroesophageal reflux disease are not medically necessary as there is insufficient peer-reviewed scientific literature that demonstrates that the procedure/service is effective.

- Transoral incisionless fundoplication (TIF) (i.e., Esophyx®)
- Transesophageal radiofrequency to create submucosal thermal lesions of the gastroesophageal junction (i.e., Stretta® procedure)
- Endoscopic submucosal implantation of a prosthesis or injection of a bulking agent (e.g., polymethylmethacrylate beads, zirconium oxide spheres)

Implantation of inert polymers (Enteryx™) is considered a **contract exclusion** as it was withdrawn from the market following serious complications.

COVERAGE

Benefits may vary between groups/contracts. Please refer to the appropriate Subscriber Agreement for the applicable services that are not medically necessary and contract exclusions.

BACKGROUND

Due in part to the high prevalence of gastroesophageal reflux disease (GERD), there has been interest in creating a minimally invasive transesophageal therapeutic alternative to open or laparoscopic fundoplication or chronic medical therapy. This type of procedure may be considered natural orifice transluminal surgery (NOTES). Three types of procedures have been investigated:

1. Transesophageal endoscopic gastroplasty (gastroplication, fundoplication or transoral incisionless fundoplication [TIF]) is an outpatient procedure. During this procedure, suture(s) or fasteners are placed in the lower esophageal sphincter. The sutures/fasteners are designed to strengthen and lengthen the sphincter to decrease reflux.

Currently, 3 endoscopic suturing devices have received U.S. Food and Drug Administration (FDA) 510(k) marketing clearance for use in the treatment of GERD:

- EndoCinch™ (CR Bard, Murray Hill, NJ) is a suture technique for partial-thickness plication, approved January 2001
 - NDO Plicator™ (Ethicon Endo-Surgery, Chicago, IL) for full-thickness plication, approved May 2003
 - Esophyx (EndoGastric Solutions, Redmond, WA) for full-thickness plication, approved September 2007
2. Radiofrequency (RF) energy has been used to produce submucosal thermal lesions at the gastroesophageal junction. (This technique has also been referred to as the Stretta procedure. The CSM Stretta System [Conway Stuart] received 510(k) marketing clearance from the FDA in 2000 for general use in the electrosurgical coagulation of tissue and is specifically intended for use in the treatment of GERD. Stretta is currently manufactured by Mederi Therapeutics, Greenwich, CT.) Specifically, RF energy is applied through 4 electrodes inserted into the esophageal wall at multiple sites both above and below the squamocolumnar junction. The mechanism of action of the thermal lesions is not precisely known but may be related to ablation of the nerve pathways responsible for sphincter relaxation or may induce a tissue-tightening effect related to heat-induced collagen contraction.

3. Submucosal injection or implantation of a prosthetic or bulking agent to enhance the volume of the lower esophageal sphincter has also been investigated.
- In one procedure, a biocompatible liquid polymer is injected into the lower esophageal sphincter. On contact with the tissue, the polymer precipitates into a spongy mass. The mechanism of action in reducing reflux is not precisely known. One polymer, Enteryx, received FDA approval in 2003 through the premarket approval (PMA) process for the treatment of symptomatic GERD. However, on September 23, 2005, Boston Scientific Corporation issued a recall of Enteryx due to the device polymerizing shortly after injection into a spongy material that cannot be removed. Serious adverse events involved unrecognized transmural injections of Enteryx into structures surrounding the esophagus, potentially resulting in serious injury or death. In September 2005, Enteryx was voluntarily removed from the market due to serious adverse effects.

Another bulking agent, pyrolytic carbon-coated zirconium oxide spheres (Durasphere®), is being evaluated. Durasphere is a bulking agent approved for treatment of urinary and fecal incontinence (see policy number 7.01.19). Use of this product for esophageal reflux would be considered off-label use. The website of Carbon Medical Technologies states that Durasphere GR is an investigational device in the U.S. “intended to treat problems associated with GERD.”

The Gatekeeper Reflux Repair System (Medtronic, Shoreview, MN) utilizes a soft, pliable, expandable prosthesis made of a polyacrylonitrile-based hydrogel. The prosthesis is implanted into the esophageal submucosa, and with time, the prosthesis absorbs water and expands, creating bulk in the region of implantation.

Endoscopic submucosal implantation of polymethylmethacrylate beads into the lower esophageal folds has also been investigated.

There is insufficient evidence at present to establish the safety and efficacy of these procedures, particularly in the long term. Some of the unresolved issues include questions about the safety and durability of the device/treatment and lack of consistent improvement in objective measures (esophageal acid exposure) using these devices. A number of these devices (e.g., EndoCinch, NDO Plicator, Gatekeeper, Enteryx) are no longer marketed or actively evaluated due to lack of efficacy and/or safety issues. For procedures that are still in development, high-quality data from large randomized controlled trials are needed to compare endoscopic procedures with both sham controls and with the currently accepted treatments for GERD, namely drug therapy and laparoscopic fundoplication. Well-designed trials should use standardized outcome measures to examine whether subjective improvement, such as discontinuation of medication therapy and GERD-HRQL scores, is supported by objective improvement, such as esophageal acid exposure. Until such studies demonstrate improved net health outcomes for patients with GERD, these techniques are considered not medically necessary, as there is no proven efficacy.

CODING

Commercial Products

The following CPT code is not medically necessary:

- 43257** Upper gastrointestinal endoscopy, with delivery of thermal energy to the muscle of the lower esophageal sphincter and/or gastric cardia

The following CPT codes are not medically necessary when filed with ICD-10 diagnosis **K21.00, K21.9:**

- 43201** Esophagoscopy, flexible, transoral; with directed submucosal injection(s), any substance
43210 Esophagogastroduodenoscopy, flexible, transoral; with esophagogastric fundoplasty, partial or complete, includes duodenoscopy when performed
43212 Esophagoscopy, flexible, transoral; with placement of endoscopic stent (includes pre- and post-dilation and guide wire passage, when performed)
43236 Esophagogastroduodenoscopy, flexible, transoral; with directed submucosal injection(s), any substance
43266 Esophagogastroduodenoscopy, flexible, transoral; with placement of endoscopic stent (includes pre- and dilation and guide wire passage, when performed)

RELATED POLICIES

BlueCHiP for Medicare National and Local Coverage Determinations Policy

PUBLISHED

Provider Update, February 2021
Provider Update, February 2020
Provider Update, February 2020
Provider Update, February 2019
Provider Update, January 2018
Provider Update, January 2017
Provider Update, August 2015

[CLICK THE ENVELOPE ICON BELOW TO SUBMIT COMMENTS](#)

This medical policy is made available to you for informational purposes only. It is not a guarantee of payment or a substitute for your medical judgment in the treatment of your patients. Benefits and eligibility are determined by the member's subscriber agreement or member certificate and/or the employer agreement, and those documents will supersede the provisions of this medical policy. For information on member-specific benefits, call the provider call center. If you provide services to a member which are determined to not be medically necessary (or in some cases medically necessary services which are non-covered benefits), you may not charge the member for the services unless you have informed the member and they have agreed in writing in advance to continue with the treatment at their own expense. Please refer to your participation agreement(s) for the applicable provisions. This policy is current at the time of publication; however, medical practices, technology, and knowledge are constantly changing. BCBSRI reserves the right to review and revise this policy for any reason and at any time, with or without notice. Blue Cross & Blue Shield of Rhode Island is an independent licensee of the Blue Cross and Blue Shield Association.

