

Medical Coverage Policy | Laser Treatment for Proliferative Vascular Lesions



EFFECTIVE DATE: 10|1|2025

POLICY LAST REVIEWED: 06|03|2026

OVERVIEW

Port wine stains are common vascular malformations that start as pink macules and, if untreated, tend to become darker and thicker over time. They usually occur on the face and neck, but can be located elsewhere on the body. They are also referred to as proliferative vascular lesions. This policy addresses only laser treatment of port wine stains, hemangiomas, and vascular malformations. It does not address deep, structural lesions that require surgical treatment as those are considered medically necessary and covered.

Note: This policy is applicable for Commercial Products only. For Medicare Advantage Plans, see the applicable policy in the Related Policies section.

MEDICAL CRITERIA

Medicare Advantage Plans

Effective 10/1/2025, the following CPTs 17106/17107/17108 may be considered medically necessary for Medicare Advantage Plans when the medical criteria in the online authorization tool for participating providers is met.

Commercial Products

Laser treatment for port wine stains, hemangiomas, and other proliferative vascular lesions, or vascular malformations are considered medically necessary when a vascular lesion is one of the following:

- Currently symptomatic (e.g., bleeding, painful, ulcerated, prior infection, or pedunculated [growth on a small stalk]); or
- In a periorificial location (region immediately surrounding one of the body openings, including the mouth and the anogenital area, etc).

Please see **Related Policies** section and **Coding** section, for more information or additional details.

PRIOR AUTHORIZATION

Prior authorization is required for Medicare Advantage Plans and is recommended for Commercial Products via the online tool for participating providers.

POLICY STATEMENT

Medicare Advantage Plans

Effective 10/1/2025, the following CPTs 17106, 17107, 17108 may be considered medically necessary for Medicare Advantage Plans when the medical criteria in the online authorization tool for participating providers is met.

Commercial Products

Laser treatment for hemangiomas, proliferative vascular lesions or vascular malformations is considered medically necessary when the medical criteria above has been met.

Laser treatment for port wine stains, hemangiomas, or superficial vascular malformations to alter or to enhance appearance and that do not interfere with physical body function is not covered and considered cosmetic.

COVERAGE

Benefits may vary between groups/contracts. Please refer to the appropriate Evidence of Coverage, Subscriber Agreement or Subscriber Agreement for applicable surgery benefit/coverage.

BACKGROUND

A vascular birthmark is an abnormal cluster of blood vessels that occurs during fetal development. Vascular lesions are the most common birthmark encountered in children. Vascular birthmarks may be classified as either hemangiomas or vascular malformations.

Hemangiomas are benign tumors of the endothelial cells characterized by spontaneous involution. The endothelial cells multiply at an abnormally rapid rate producing a hemangioma lesion. Hemangiomas grow rapidly following birth and usually reach maximum size by 12 months of age. Over time, they become smaller and lighter in color. The involution process may take 3 to 10 years. Complications from hemangiomas occur in approximately 20 percent of patients; however, few are life threatening. Approximately 83% occur on the head and neck area. Most hemangiomas require no specific therapy other than patient education. The most common complications are ulceration and compromise of function. In some instances hemangiomas may impair vision, breathing, feeding, or movement.

Vascular malformations may be composed of arteries, veins, capillaries, or lymphatic vessels and are classified by sub-type depending on the predominant abnormality. Vascular malformations are present at birth; however, they may not become visible until weeks or months after birth. They grow at a rate that is commensurate with the growth of the child and continue to grow throughout life and may slowly worsen. Vascular malformations may be superficial or deep, or may have both superficial and deep components. Examples of capillary malformations include nevus flammeus neonatorum (i.e., "stork bite," "angel kiss," "salmon patch"), which tends to lighten over time, and the port wine stain (PWS), which tends to darken over time.

The management and severity of hemangiomas and vascular malformations vary greatly dependent upon the type, location, and depth. Most hemangiomas do not require treatment as they involute naturally, and initial management consists of observation. Systemic and/or intra-lesional corticosteroid therapy may be used in complicated hemangiomas to arrest the growth of the lesion. Deep malformations might require surgical removal or other therapies. Pulse-dye lasers may be used for the treatment of hemangiomas and vascular malformations that are superficial, as the laser only penetrates the top 0.75 to 1.5 mm of skin. Combined vascular malformations may require the use of surgery and laser therapy.

CODING

Medicare Advantage Plans

Effective 10/1/2025, the following CPT code(s) may be considered medically necessary for Medicare Advantage Plans when the medical criteria in the online authorization tool for participating providers is met:

- 17106** Destruction of cutaneous vascular proliferative lesions (eg, laser technique); less than 10 sq cm
- 17107** Destruction of cutaneous vascular proliferative lesions (eg, laser technique); 10.0 to 50.0 sq cm
- 17108** Destruction of cutaneous vascular proliferative lesions (eg, laser technique); over 50.0 sq cm

Commercial Products

The following CPT code(s) may be considered medically necessary for Commercial Products when the above medical criteria has been met:

- 17106** Destruction of cutaneous vascular proliferative lesions (eg, laser technique); less than 10 sq cm
- 17107** Destruction of cutaneous vascular proliferative lesions (eg, laser technique); 10.0 to 50.0 sq cm
- 17108** Destruction of cutaneous vascular proliferative lesions (eg, laser technique); over 50.0 sq cm

RELATED POLICIES

Prior Authorization of Services, Treatments or Procedures

PUBLISHED

Provider Update, August 2026

Provider Update, September 2025
Provider Update, December 2024
Provider Update, April 2023
Provider Update, June 2022

REFERENCES

1. Faurschou A, Olesen AB, Leonardi-Bee J et al. Lasers or light sources for treating port-wine stains. *Cochrane Database Syst Rev* 2011; (11):CD007152.
2. Faurschou A, Togsverd-Bo K, Zachariae C et al. Pulsed dye laser vs. intense pulsed light for port-wine stains: a randomized side-by-side trial with blinded response evaluation. *Br J Dermatol* 2009; 160(2):359-64.
3. Babilas P, Schremel S, Eames T et al. Split-face comparison of intense pulsed light with short- and long-pulsed dye lasers for the treatment of port-wine stains. *Lasers Surg Med* 2010; 42(8):720-7.
4. Klein A, Szeimies RM, Baumler W et al. Indocyanine green-augmented diode laser treatment of port-wine stains: clinical and histological evidence for a new treatment option from a randomized controlled trial. *Br J Dermatol* 2012; 167(2):333-42.
5. Passeron T, Maza A, Fontas E, et al. Treatment of port wine stains with pulsed dye laser and topical timolol: a multicenter randomized controlled trial. *Br J Dermatol*. Dec 6 2013. PMID 24641096
6. Tremaine AM, Armstrong J, Huang YC, et al. Enhanced port-wine stain lightening achieved with combined treatment of selective photothermolysis and imiquimod. *J Am Acad Dermatol*. Apr 2012;66(4):634-641. PMID 22244840

[CLICK THE ENVELOPE ICON BELOW TO SUBMIT COMMENTS](#)

This medical policy is made available to you for informational purposes only. It is not a guarantee of payment or a substitute for your medical judgment in the treatment of your patients. Benefits and eligibility are determined by the member's subscriber agreement or member certificate and/or the employer agreement, and those documents will supersede the provisions of this medical policy. For information on member-specific benefits, call the provider call center. If you provide services to a member which are determined to not be medically necessary (or in some cases medically necessary services which are non-covered benefits), you may not charge the member for the services unless you have informed the member and they have agreed in writing in advance to continue with the treatment at their own expense. Please refer to your participation agreement(s) for the applicable provisions. This policy is current at the time of publication; however, medical practices, technology, and knowledge are constantly changing. BCBSRI reserves the right to review and revise this policy for any reason and at any time, with or without notice. Blue Cross & Blue Shield of Rhode Island is an independent licensee of the Blue Cross and Blue Shield Association.

