**Payment Policy** | Cooling Devices Used in the Home and Outpatient Setting



**EFFECTIVE DATE:** 06|19|2012 **POLICY LAST UPDATED:** 09|15|2015

#### **OVERVIEW**

This policy documents the coverage determination for Cooling Devices Used in the Home and Outpatient Setting. Cooling devices use chilled water to decrease the local temperature of tissue. There are a variety of cooling devices available, ranging from gravity-fed devices that are manually filled with iced water, to motorized units that both cool and circulate the chilled water. These devices are typically used when ice packs would normally be applied, e.g., after orthopedic surgical procedures.

## **MEDICAL CRITERIA**

Not applicable

PRIOR AUTHORIZATION

Not applicable

## **POLICY STATEMENT**

#### BlueCHiP for Medicare

Cooling devices will be considered not covered as the device is not reasonable and necessary.

## **Commercial Products**

Cooling devices, with or without pumping action, are considered convenience items and are not covered and contract exclusions apply.

#### COVERAGE

Benefits may vary between groups/contracts. Please refer to the appropriate Benefit Booklet, Evidence of Coverage, or Subscriber Agreement for applicable contract exclusions and limitations of benefits/coverage when services are not medically necessary.

## BACKGROUND

Cold and/or compression therapy following surgery or musculoskeletal and soft tissue injury has long been accepted in the medical field as an effective tool for reducing inflammation, pain, and swelling. Ice packs and various bandages and wraps are commonly used. In addition, a variety of continuous cooling devices are commercially available and can be broadly subdivided into those providing manually operated passive cold therapy and those providing active cold therapy using a mechanical device.

The CryoCuff<sup>®</sup> and Polar Care Cub devices are examples of passive cooling devices. The CryoCuff device consists of an insulated container filled with iced water that is attached to a compressive cuff. When the CryoCuff container is raised, the water fills and pressurizes the cuff. The amount of pressure is proportional to the height of the container. When body heat warms the water, the cooler is lowered and the water drains out. The cooler is then raised above the affected limb, and cold water refills the compressive cuff. The Polar Care Cub unit consists of pads held in place with elastic straps, which may also provide compression. The pads are attached to a built-in hand pump that circulates the water through the pads at the same time as increasing the compression around the joint.

In active cooling devices, a motorized pump circulates chilled water and may also provide pneumatic compression. For example, the AutoChill<sup>®</sup> device, which may be used in conjunction with a CryoCuff, consists of a pump that automatically exchanges water from the cuff to the cooler, eliminating the need for manual water recycling. The Hot/Ice Thermal Blanket is another example of an active cooling device. It consists of 2 rubber pads connected by a rubber hose to the main cooling unit. Fluid is circulated via the hose through the thermal blankets. The temperature of the fluid is controlled by the main unit and can be either hot or cold. The Game Ready™ Accelerated Recovery System is an example of an active cooling device combined with a pneumatic component. The system consists of various soft wraps and a computer-controlled control unit to circulate the water through the wraps and provide intermittent pneumatic compression. The Hilotherm<sup>®</sup> Clinic circulates cooled water through preshaped thermoplastic polyurethane facial masks for use after different types of facial surgery. ThermaZone<sup>®</sup> provides thermal therapy with pads specific to various joints, as well as different areas of the head (front, sides, back, eyes). CTM™ 5000 and cTreatment are computer-controlled devices that provide cooling at a specific (11 degrees C) and continuous temperature.

Most of the published randomized studies of passive cooling devices failed to adequately describe the cooling regimens or include the relevant control group of standard ice pack treatment. When passive cooling devices and ice packs were used with the same regimen, no differences in health outcomes were observed. Currently available evidence is insufficient to determine whether continuous cooling devices result in improved health outcomes when compared with usual ice pack exchange in the home environment. Several small studies report that a cooling mask used after facial surgery provides greater pain relief and reduction of swelling compared with cool compresses, but these studies have limitations and results need to be replicated in larger, higher quality studies. Overall, the available scientific literature is insufficient to document that the use of passive or active cooling systems is associated with a benefit beyond convenience; these devices are considered not medically necessary.

While there is no national coverage decision for Medicare, cooling devices are addressed in the policy Durable Medical Equipment Resource Center (DMERC). Last reviewed in July 2004, the DMERC policy reads as follows:

"A device in which ice water is put in a reservoir and then circulated through a pad by means of gravity is not considered durable medical equipment (DME). Other devices (not all-inclusive which are also not considered to be DME are: single use packs which generate cold temperature by a chemical reaction; packs which contain gel or other material which can be repeatedly frozen; simple containers into which ice water can be placed. All of these types of devices must be coded A9270 if claims are submitted to the DMERC."

"Code E0218 describes a device which has an electric pump that circulates cold water through a pad. A water circulating cold pad with pump (E0218) will be denied as not medically necessary."

## CODING

BlueCHiP for Medicare and Commercial Products

The following HCPCS codes are not covered:

E0218 E0236 A9270

## **RELATED POLICIES** None

#### **PUBLI SHED**

Provider Update, November 2015 Provider Update, October 2014 Provider Update, July 2013 Provider Update, September 2012

# REFERENCES

- Woolf SK, Barfield WR, Merrill KD et al. Comparison of a continuous temperature-controlled cryotherapy device to a simple icing regimen following outpatient knee arthroscopy. J Knee Surg 2008; 21(1):15-9.
- 2. Barber FA. A comparison of crushed ice and continuous flow cold therapy. Am J Knee Surg 2000; 13(2):97-101.
- 3. Barber FA, McGuire DA, Click S. Continuous-flow cold therapy for outpatient anterior cruciate ligament reconstruction. Arthroscopy 1998; 14(2):130-5.
- 4. Modabber A, Rana M, Ghassemi A et al. Three-dimensional evaluation of postoperative swelling in treatment of zygomatic bone fractures using two different cooling therapy methods: a randomized, observer-blind, prospective study. Trials 2013; 14:238.
- 5. Rana M, Gellrich NC, von See C et al. 3D evaluation of postoperative swelling in treatment of bilateral mandibular fractures using 2 different cooling therapy methods: a randomized observer blind prospective study. J Craniomaxillofac Surg 2013; 41(1):e17-23.
- Konrath GA, Lock T, Goitz HT et al. The use of cold therapy after anterior cruciate ligament reconstruction. A prospective, randomized study and literature review. Am J Sports Med 1996; 24(5):629-33.
- 7. Bleakley C, McDonough S, MacAuley D. The use of ice in the treatment of acute soft-tissue injury: a systematic review of randomized controlled trials. Am J Sport Med 2004; 32(1):251-61.
- 8. Hochberg J. A randomized prospective study to assess the efficacy of two cold therapy treatments following carpal tunnel release. J Hand Ther 2001; 14(3):208-15.
- 9. Schroder D, Passler HH. Combination of cold compression, after knee surgery. A prospective randomized trial. Knee Surg Sports Traumatol Arthrosc 1994; 2(3):158-65.
- 10. Whitelaw GP, DeMuth KA, Demos HA et al. The use of the Cryo/Cuff versus ice and elastic wrap in the postoperative care of knee arthroscopy patients. Am J Knee Surg 1995; 8(1):28-31.
- Thienpont E. Does advanced cryotherapy reduce pain and narcotic consumption after knee arthroplasty? Clin Orthop Relat Res. Nov 2014; 472(11):3417-3423. PMID 25059851

#### CLICK THE ENVELOPE ICON BELOW TO SUBMIT COMMENTS

This medical policy is made available to you for informational purposes only. It is not a guarantee of payment or a substitute for your medical judgment in the treatment of your patients. Benefits and eligibility are determined by the member's subscriber agreement or member certificate and/or the employer agreement, and those documents will supersede the provisions of this medical policy. For information on member-specific benefits, call the provider call center. If you provide services to a member which are determined to not be medically necessary (or in some cases medically necessary services which are non-covered benefits), you may not charge the member for the services unless you have informed the member and they have agreed in writing in advance to continue with the treatment at their own expense. Please refer to your participation agreement(s) for the applicable provisions. This policy is current at the time of publication; however, medical practices, technology, and knowledge are constantly changing. BCBSRI reserves the right to review and revise this policy for any reason and at any time, with or without notice. Blue Cross & Blue Shield of Rhode Island is an independent licensee of the Blue Cross and Blue Shield Association.

