



EFFECTIVE DATE: 12|18|2012
POLICY LAST UPDATED: 04|04|2017

OVERVIEW

Neural therapy involves the injection of a local anesthetic such as procaine or lidocaine into scars, trigger points, acupuncture points, tendon and ligament insertions, peripheral nerves, autonomic ganglia, the epidural space, and other tissues to treat chronic pain and illness.

MEDICAL CRITERIA

Not applicable

PRIOR AUTHORIZATION

Not applicable

POLICY STATEMENT

BlueCHiP for Medicare and Commercial Products

Neural therapy is considered not medically necessary for all indications as the evidence is insufficient to determine the effects of the technology on health outcomes.

COVERAGE

Benefits may vary between groups/contracts. Please refer to the appropriate section of the Benefit Booklet, Evidence of Coverage or Subscriber Agreement for services not medically necessary.

BACKGROUND

Neural therapy involves the injection of a local anesthetic such as procaine or lidocaine into scars, trigger points, acupuncture points, tendon and ligament insertions, peripheral nerves, autonomic ganglia, the epidural space, and other tissues to treat chronic pain and illness. When the anesthetic agent is injected into traditional acupuncture points, this treatment may be called neural acupuncture.

The practice of neural therapy is based on the belief that energy flows freely through the body. It is proposed that injury, disease, malnutrition, stress, and scar tissue disrupt this flow, creating disturbances in the electrochemical function of tissues and energy imbalances called “interference fields.” Injection of a local anesthetic is believed to reestablish the normal resting potential of nerves and flow of energy. Alternative theories include fascial continuity, the ground (matrix) system, and the lymphatic system.

There is a strong focus on treatment of the autonomic nervous system, and injections may be given at a location other than the source of the pain or location of an injury. Neural therapy is promoted mainly to relieve chronic pain. It has also been proposed to be helpful for allergies, hay fever, headaches, arthritis, asthma, hormone imbalances, libido, infertility, tinnitus, chronic bowel problems, sports or muscle injuries, gallbladder, heart, kidney, or liver disease, dizziness, depression, menstrual cramps, and skin and circulation problems.

Neural therapy should be distinguished from the use of peripherally injected anesthetic agents for nerve blocks or local anesthesia. The site of the injection for neural therapy may be located far from the source of the pain or injury. The length of treatment can vary from one session to a series of sessions over a period of weeks or months.

The evidence for neural therapy in patients who have chronic pain or illness includes small randomized trials and a large case series. Relevant outcomes are symptoms, functional outcomes, quality of life, medication use, and treatment-related morbidity. There are few English-language reports, and the available studies have methodologic limitations that preclude conclusions on efficacy. The evidence is insufficient to determine the effects of the technology on health outcomes. Therefore, this service is considered not medically necessary for BlueCHIP for Medicare and Commercial products.

CODING

BlueCHIP for Medicare and Commercial Products

There are no specific HCPCS or CPT codes for these local anesthetics when injected in this fashion. The procedure would be reported using an unlisted CPT code.

RELATED POLICIES

None

PUBLISHED

Provider Update, June 2017

Provider Update, June 2016

Provider Update, November 2015

Provider Update, January 2015

Provider Update, February 2013

REFERENCES

1. Frank BL. Neural therapy. *Phys Med Rehabil Clin N Am* 1999; 10(3):573-82, viii.
2. Hui F, Boyle E, Vayda E et al. A randomized controlled trial of a multifaceted integrated complementary-alternative therapy for chronic herpes zoster-related pain. *Altern Med Rev* 2012; 17(1):57-68.
3. Gibson RG, Gibson SL. Neural therapy in the treatment of multiple sclerosis. *J Altern Complement Med* 1999; 5(6):543-52.
4. Atalay NS, Sahin F, Atalay A et al. Comparison of efficacy of neural therapy and physical therapy in chronic low back pain. *Afr J Tradit Complement Altern Med* 2013; 10(3):431-5.
5. Arner S, Lindblom U, Meyerson BA et al. Prolonged relief of neuralgia after regional anesthetic blocks. A call for further experimental and systematic clinical studies. *Pain* 1990; 43(3):287-97.
6. Schmittinger CA, Schar R, Fung C et al. Brainstem hemorrhage after neural therapy for decreased libido in a 31-year-old woman. *J Neurol* 2011; 258(7):1354-5.
7. American Association of Orthopaedic Medicine. Neural Therapy. 2013; <http://www.aaomed.org/Neural-therapy>. Accessed November 24, 2014
8. Egli S, Pfister M, Ludin SM, et al. Long-term results of therapeutic local anesthesia (neural therapy) in 280 referred refractory chronic pain patients. *BMC Complement Altern Med*. 2015;15:200. PMID 26115657

[CLICK THE ENVELOPE ICON BELOW TO SUBMIT COMMENTS](#)

This medical policy is made available to you for informational purposes only. It is not a guarantee of payment or a substitute for your medical judgment in the treatment of your patients. Benefits and eligibility are determined by the member's subscriber agreement or member certificate and/or the employer agreement, and those documents will supersede the provisions of this medical policy. For information on member-specific benefits, call the provider call center. If you provide services to a member which are determined to not be medically necessary (or in some cases medically necessary services which are non-covered benefits), you may not charge the member for the services unless you have informed the member and they have agreed in writing in advance to continue with the treatment at their own expense. Please refer to your participation agreement(s) for the applicable provisions. This policy is current at the time of publication; however, medical practices, technology, and knowledge are constantly changing. BCBSRI reserves the right to review and revise this policy for any reason and at any time, with or without notice. Blue Cross & Blue Shield of Rhode Island is an independent licensee of the Blue Cross and Blue Shield Association.

