**Medical Coverage Policy |** Transtympanic Micropressure Applications as a Treatment of Meniere's Disease

**EFFECTIVE DATE:** 02|16|2010 **POLICY LAST UPDATED:** 04|01|2014

#### **OVERVIEW**

Transtympanic micropressure treatment for Meniere's disease involves use of a hand-held air pressure generator that delivers intermittent complex pressure pulses. For this device to be used, a conventional ventilation tube is surgically placed in the eardrum. Patients then place an ear-cuff in the external ear canal and treat themselves for 3 minutes, 3 times daily. Treatment is continued for as long as patients find themselves in a period of attacks of vertigo.

## **PRIOR AUTHORIZATION**

Not applicable.

### **POLICY STATEMENT**

### **BlueCHiP for Medicare and Commercial**

Transtypmanic micropressure applications as a treatment for Meniere's disease is considered not medically necessary due to the lack of peer-review medical literature indicating that it is effective.

## **MEDICAL CRITERIA**

Not applicable.

### BACKGROUND

Meniere's disease is an idiopathic disorder of the inner ear characterized by episodes of vertigo, fluctuating hearing loss, tinnitus, and ear pressure. The vertigo attacks are often unpredictable and incapacitating, and may prevent activities of daily living. Therapy is symptomatic in nature and does not address the underlying pathophysiology. Although the pathophysiology of Meniere's disease is not precisely known, it is thought to be related to a disturbance in the pressure/volume relationship of the endolymph within the inner ear. Conservative therapy includes a low sodium diet and diuretics to reduce fluid accumulation (i.e., hydrops) and pharmacologic therapy to reduce vestibular symptoms. Persons who do not respond to these conservative measures may receive gentamicin drops in the ear, as a technique of chemical labyrinthectomy to ablate vestibular function on the affected side. No therapy is available to restore hearing loss.

There has been interest in developing a more physiologic approach to treatment by applying local pressure treatment to restore the underlying fluid homeostasis. Researchers have noted that symptoms of Meniere's disease improve with fluctuations in ambient pressure, and patients with acute vertigo have been successfully treated in hypobaric chambers. It is hypothesized that the application of low-frequency, low-amplitude pressure pulse to the middle ear functions to evacuate endolymphatic fluids from the inner ear, thus relieving vertigo. In 1999, the Meniett device (Medtronic) received clearance to market through a U.S. Food and Drug Administration (FDA) 510(k) process specifically as a symptomatic treatment of Meniere's disease.

At this time, the scientific evidence does not permit conclusions concerning the effect of this technology on health outcomes. Therefore, it is considered not medically necessary.

#### COVERAGE

Benefits may vary between groups/contracts. Please refer to the appropriate Evidence of Coverage, Subscriber Agreement, Benefit Booklet for applicable not medically necessary benefits/coverage.



# CODING

The following code is considered not medically necessary for BlueCHiP for Medicare and Commercial: E2120

# **RELATED POLICIES**

Not applicable.

### **PUBLISHED**

Provider Update	Jun 2014
Provider Update	May 2013
Provider Update	Apr 2012
Provider Update	Jun 2011
Provider Update	Apr 2010

### REFERENCES

- US Food and Drug Administration. FDA 510(k) marketing clearance information for the Meniett device. Available online at: http://www.accessdata.fda.gov/cdrh\_docs/pdf/K991562.pdf. Last accessed August, 2013.
- Barbara M, Consagra C, Monini S et al. Local pressure protocol, including Meniett, in the treatment of Meniere's disease: short-term results during the active stage. Acta Otolaryngol 2001; 121(8):939-44.
- 3. Densert B, Sass K. Control of symptoms in patients with Meniere's disease using middle ear pressure applications: two years follow-up. Acta Otolaryngol 2001; 121(5):616-21.
- 4. Gates GA, Green JD. Intermittent pressure therapy of intractable Meniere's disease using the Meniett device: a preliminary report. Laryngoscope 2002; 112(8 pt 1):1489-93.
- 5. Barbara M, Monini S, Chiappini I et al. Meniett therapy may avoid vestibular neurectomy in disabling Meniere's disease. Acta Otolaryngol 2007; 127(11):1136-41.
- Dornhoffer JL, King D. The effect of the Meniett device in patients with Ménière's disease: longterm results. Otol Neurotol 2008; 29(6):868-74.
- Mattox DE, Reichert M. Meniett device for Ménière's disease: use and compliance at 3 to 5 years. Otol Neurotol 2008; 29 (1):29-32.
- 8. Park JJ, Chen YS, Westhofen M. Meniere's disease and middle ear pressure vestibular function after transtympanic tube placement. Acta Otolaryngol 2009; 129(12):1408-13.
- 9. Gates GA, Green JD, Tucci DL et al. The effects of transtympanic micropressure treatment in people with unilateral Meniere's disease. Arch Otolaryngol Head Neck Surg 2004; 130(6):718-25.
- 10. Gates GA, Verrall A, Green JD, Jr. et al. Meniett clinical trial: long-term follow-up. Arch Otolaryngol Head Neck Surg 2006; 132(12):1311-6.

#### ----- CLICK THE ENVELOPE ICON BELOW TO SUBMIT COMMENTS

This medical policy is made available to you for informational purposes only. It is not a guarantee of payment or a substitute for your medical judgment in the treatment of your patients. Benefits and eligibility are determined by the member's subscriber agreement or member certificate and/or the employer agreement, and those documents will supersede the provisions of this medical policy. For information on member-specific benefits, call the provider call center. If you provide services to a member which are determined to not be medically necessary (or in some cases medically necessary services which are non-covered benefits), you may not charge the member for the services unless you have informed the member and they have agreed in writing in advance to continue with the treatment at their own expense. Please refer to your participation agreement(s) for the applicable provisions. This policy is current at the time of publication; however, medical practices, technology, and knowledge are constantly changing. BCBSRI reserves the right to review and revise this policy for any reason and at any time, with or without notice. Blue Cross & Blue Shield of Rhode Island is an independent licensee of the Blue Cross and Blue Shield Association.



500 EXCHANGE STREET, PROVIDENCE, RI 02903-2699 (401) 274-4848 WWW.BCBSRI.COM